

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|--|--|------------------|---------|---------------------|
| S1 | 2 | "20020006484" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 15:12 |
| S2 | 2 | ("4264668").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 15:13 |
| S3 | 6 | ("4264668" "5031380" "6044628").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 15:13 |
| S4 | 15775 | 428/910 or 428/349 or 428/461 or 428/35.2 or 156/244.11 or 426/127 or 264/176.1 or 156/277 or 53/135.1 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 15:17 |
| S5 | 53869 | induction adj heat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/06 15:17 |
| S6 | 4295933 | metal | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/06 15:17 |
| S7 | 22216 | S5 and S6 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/06 15:17 |
| S8 | 162047 | carbon adj black | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 16:44 |
| S9 | 53869 | induction adj heat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/06 16:44 |
| S10 | 4295933 | metal | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/06 16:44 |
| S11 | 22216 | S9 and S10 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/06 16:44 |
| S12 | 22216 | S9 and S11 and S10 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 16:44 |
| S13 | 859 | S11 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 16:44 |

| | | | | | | |
|-----|---------|--|--|-----|-----|---------------------|
| S14 | 1876880 | package or container | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 16:45 |
| S15 | 285 | S13 and S14 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 16:45 |
| S16 | 3840871 | thermoplastic or plastic or polymer | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 16:46 |
| S17 | 236 | S15 and S16 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/06 16:46 |
| S18 | 17 | "419139" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:00 |
| S19 | 1 | "0419139" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:00 |
| S20 | 16 | "4019139" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:01 |
| S21 | 241478 | kabushiki and kaisha | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:01 |
| S22 | 23133 | "1992" and S21 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:01 |
| S23 | 3285 | S22 and jan\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:02 |
| S24 | 52 | S23 and aluminium | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:02 |
| S25 | 74435 | plating near5 layer | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:04 |
| S26 | 4722965 | metal or metallic | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:04 |
| S27 | 51554 | S25 and S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:04 |
| S28 | 3841749 | thermoplastic or plastic or polymer | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:05 |
| S29 | 17421 | S27 and S28 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:05 |

| | | | | | | |
|-----|---------|-----------------------------------|--|-----|-----|---------------------|
| S30 | 11260 | S29 and conductive | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:06 |
| S31 | 1877499 | package or container | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 14:07 |
| S32 | 4498 | S30 and S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:07 |
| S33 | 52800 | heat adj sealing | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:08 |
| S34 | 27 | S32 and S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:08 |
| S35 | 1004 | vapor adj disposition | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:21 |
| S36 | 315599 | vapor near5 deposit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:21 |
| S37 | 316242 | S35 or S36 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:21 |
| S38 | 138956 | S25 or electroplating | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:21 |
| S39 | 140669 | S38 or (electro adj plating) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:22 |
| S40 | 26395 | S39 and S37 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:22 |
| S41 | 24346 | S40 and metal | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:22 |
| S42 | 723 | m32 and (metal or metallic) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:22 |
| S43 | 177 | S42 and (package or container) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:22 |
| S44 | 8 | "1129110" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:37 |
| S45 | 3 | "11029110" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:37 |

| | | | | | | |
|-----|--------|--|--|-----|-----|---------------------|
| S46 | 6 | "6044628" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:40 |
| S47 | 14 | "5031380" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 14:41 |
| S48 | 74435 | plating near5 layer | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:46 |
| S49 | 1004 | vapor adj disposition | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:46 |
| S50 | 315599 | vapor near5 deposit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:46 |
| S51 | 316242 | S49 or S50 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:46 |
| S52 | 138956 | S48 or electroplating | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:46 |
| S53 | 140669 | S52 or (electro adj plating) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:46 |
| S54 | 26395 | S53 and S51 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:46 |
| S55 | 1985 | electroplating near (S51) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:47 |
| S56 | 399 | S55 and (package or container) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:47 |
| S57 | 15783 | 428/910 or 428/349 or 428/461 or 428/35.2 or 156/244.11 or 426/127 or 264/176.1 or 156/277 or 53/135.1 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/07 16:50 |
| S58 | 3 | S56 and S57 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/07 16:50 |
| S59 | 1004 | vapor adj disposition | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/08 10:38 |
| S60 | 315599 | vapor near5 deposit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/08 10:38 |
| S61 | 316242 | S59 or S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/08 10:38 |

| | | | | | | |
|-----|---------|--|--|-----|-----|---------------------|
| S62 | 13513 | S61 near5 conduct\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/08 10:38 |
| S63 | 53887 | induction adj heat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/08 10:39 |
| S64 | 141 | S62 and S63 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/08 10:39 |
| S65 | 2835 | foil and S61 and (electroplating or (electro adj plating)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/08 10:51 |
| S66 | 72 | S63 and S65 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2008/10/08 10:51 |
| S67 | 6 | "6044628" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2008/10/14 08:28 |
| S68 | 16162 | 428/910 or 428/349 or 428/461 or 428/35.2 or 156/244.11 or 426/127 or 264/176.1 or 156/277 or 53/135.1 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/05/07 13:01 |
| S69 | 55847 | induction adj heat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:01 |
| S70 | 233 | S68 and S69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:01 |
| S71 | 16044 | conductive adj filler | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:02 |
| S72 | 4474360 | metal | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:02 |
| S73 | 5641 | S71 same S72 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:02 |
| S74 | 1 | S70 and S73 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:02 |
| S75 | 82 | S69 and S73 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:06 |

| | | | | | | |
|-----|---------|---|--|-----|----|---------------------|
| S76 | 49 | S75 and polyethylene | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:11 |
| S77 | 2122718 | aluminum or silver | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:25 |
| S78 | 1791299 | dendritic or scale or scaly or flake or flaky or flakey | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:26 |
| S79 | 347002 | S77 and S78 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:26 |
| S80 | 3252 | S79 and S69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:26 |
| S81 | 68 | S80 and S71 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:26 |
| S82 | 47 | S81 and (polyolefin or polyethylene) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:26 |
| S83 | 193804 | aluminum and silver | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:47 |
| S84 | 56257 | S83 and S78 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:47 |
| S85 | 31 | S84 and S69 and S71 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 13:47 |
| S86 | 2422 | silver same S71 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:08 |
| S87 | 36 | S86 and S69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:08 |
| S88 | 23 | S87 and (polyolefin or polyethylene) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:08 |

| | | | | | | |
|------|--------|---|--|-----|----|---------------------|
| S89 | 114743 | silver same aluminum | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:17 |
| S90 | 4122 | S89 same S78 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:17 |
| S91 | 43 | S90 and S69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:17 |
| S92 | 136 | silver same S78 and S69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:20 |
| S93 | 3 | "5354393" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:37 |
| S94 | 0 | high adj frequency adj electric adj field | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:46 |
| S95 | 4149 | high adj frequency adj electric adj field | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:46 |
| S96 | 88849 | conductive same silver | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:46 |
| S97 | 101 | S95 and S96 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:46 |
| S98 | 61 | S97 and (polymer or polyolefin or polyethylene) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:46 |
| S99 | 4841 | printing adj conductive | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:54 |
| S100 | 2815 | S99 and (aluminum or silver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:54 |
| S101 | 30 | S100 and (S69 or S95) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 14:54 |

| | | | | | | |
|------|-------|--|--|-----|-----|---------------------|
| S102 | 7 | "6044628" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/05/07 15:04 |
| S103 | 3 | S102 and (silver or aluminum or filler) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/07 15:04 |
| S104 | 55854 | induction adj heat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2009/05/11 15:58 |
| S105 | 12 | S104 same2 (conductive adj ink) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/11 15:58 |
| S106 | 62282 | heat adj sealing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/11 16:21 |
| S107 | 1831 | S106 same zones | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/11 16:21 |
| S108 | 11998 | conductive adj ink | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/11 16:22 |
| S109 | 4 | S107 and S108 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/11 16:22 |
| S110 | 12003 | conductive adj ink | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:18 |
| S111 | 3421 | S110 same (silver or aluminum) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:18 |
| S112 | 1005 | S111 and thermoplastic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:18 |
| S113 | 223 | S111 same2 flake | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:24 |
| S114 | 96 | S113 and thermoplastic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:24 |

| | | | | | | |
|------|---------|------------------------------------|--|-----|-----|---------------------|
| S115 | 1165 | S110 same (aluminum) | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:55 |
| S116 | 61 | S115 same2 flake | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:55 |
| S117 | 31 | S116 and thermoplastic | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:55 |
| S118 | 410 | S115 and thermoplastic | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/05/12 16:56 |
| S119 | 57809 | induction adj heat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2009/12/04 11:38 |
| S120 | 1628 | S119 and (elongate or lengthen) | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/12/04 11:38 |
| S121 | 221 | S120 and web | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/12/04 11:38 |
| S122 | 21 | "419139" | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/12/04 14:06 |
| S123 | 10438 | "1992" toyo | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/12/04 14:09 |
| S124 | 1810521 | aluminium | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/12/04 14:09 |
| S125 | 2281 | S123 and S124 | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/12/04 14:09 |
| S126 | 417 | S125 and kaisha | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT | AND | ON | 2009/12/04 14:10 |
| S127 | 39737 | trailing adj end | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/04 14:41 |

| | | | | | | |
|------|--------|--|--|-----|-----|---------------------|
| S128 | 99611 | leading adj end | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/04 14:41 |
| S129 | 1292 | S127 same S128 same seal\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/04 14:41 |
| S130 | 57809 | induction adj heat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2009/12/04 14:41 |
| S131 | 5 | S129 and S130 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/04 14:41 |
| S132 | 475 | S129 and (package or packing or container) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/04 14:42 |
| S133 | 39737 | trailing adj end | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/05 16:57 |
| S134 | 99611 | leading adj end | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/05 16:57 |
| S135 | 1292 | S133 same S134 same seal\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/05 16:57 |
| S136 | 475 | S135 and (package or packing or container) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/05 16:57 |
| S137 | 332 | S136 and (plastic or polymer or thermoplastic) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2009/12/05 16:57 |
| S138 | 1 | "10520255" and (end adj face) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/05/24 16:54 |
| S139 | 1885 | out adj end adj face | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/05/24 16:58 |
| S140 | 108560 | heat adj seal\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/05/24 16:58 |
| S141 | 9 | S139 and S140 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/05/24 16:58 |
| S142 | 16920 | 428/910 or 428/349 or 428/461 or 428/35.2 or 156/244.11 or 426/127 or 264/176.1 or 156/277 or 53/135.1 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | OFF | 2010/05/24 17:05 |

| | | | | | | |
|------|---|--|--|-----|----|---------------------|
| S143 | 3 | S142 and S139 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/05/24 17:05 |
| S144 | 1 | "10520255" and (end adj face) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/05/26 15:29 |
| S145 | 1 | S144 and (thermoplastic adj layer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/05/26 15:29 |

5/ 26/ 2010 5:01:19 PM

C:\Documents and Settings\ekashnikow\My Documents\EAST\Workspaces\10520255
Induction heating method.wsp